

DATA SHEET.
VACUUM CLEANER.
ST 11 pro



LOW EMISSION AND VERY VERSATILE. WITH EXTENSIVE WORKING RANGE.

ST 11 pro



- ⌚ The ST11 pro has all good features requested for a professional vacuuming and combined among others the infinitely adjustment of the vacuum power plus brush vacuuming functions as an optional treatment of textile floor surfaces.
- ⌚ Keyword "customised": the right attachments for diverse applications.
- ⌚ Comfortably and efficient: telescopic tube infinitely adjustable as well as a 2,5 meter flexible hose and a 15 meter plug-in mains cable for a large operating radius.
- ⌚ The rubber castor wheels at the front and the rubber wheels at the rear side provide for steady, low noise and secure manoeuvrability.
- ⌚ Extremely low noise with only 56 dB (A), ideal for use in noise sensitive areas.
- ⌚ Fatigue-free working: the air flow can be altered infinitely directly at the container and also at the hand tube, according to the floor conditions.
- ⌚ Easy to transport and always tidy: the vacuum cleaner features an ergonomic handle, the plug-in mains cable in signal colour finds its place in the cable compartment or simply on the cable-hook – swiftly locked via a sliding locking mechanism.
- ⌚ Two integrated parking positions to the left or right for the combi floor tool.
- ⌚ The optional electrical driven brush tool can be connected easily via the integrated socket and operated through the one-hand-switch on the hand tube.
- ⌚ Also suitable for hard floor coverings.
- ⌚ Exclusively by columbus: filter bags made of fleece material classified filter class M and pre-treated with "Bioneem" for anti-allergical application.


Bioneem[®]

STANDARD EQUIPMENT

floor tool combi 270 mm working width

antistatic bent tube with air regulation

suction hose 2,5 m

telescopic tube

mains cable 15 m

upholstery tool

crevice tool

OPTIONAL EQUIPMENT

fleece filter bag packing unit 20 pcs

power brush, air driven

exhaust air filter HEPA (H12) complete with filter frame

ST 11 pro

L x B x H	390 x 300 x 410 mm
Working width	270 mm
Volume fleece filter bag, class M	11 l
Noise level (1 m)	56 dB(A)
Weight	6,7 kg
Nominal diameter	32 mm

ELECTRICAL DATA

Rated voltage	230 V
Power max.	720 W
Mains cable	15 m

SUCTION

Low pressure max.	222 mbar
Air flow max.	31 l/s
Protection class	II
Air flow regulation	mechanical

EQUIPMENT

Telescopic tube	yes
Filter basket	yes
Exhaust air filter cassette	yes/HEPA
Upholstery tool	yes
Crevice tool	yes

Filter class ST 11 pro

Fleece filter bags Bioneem	M	⊙
Filter basket	H7	●⊙
Protection filter motor		●
Exhaust filter		○
Exhaust filter HEPA 14	H14	●

Standard ● Accessory ⊙ Optional ○ Washable ⊙

